

Safety Data Sheet dated 16/9/2022, version 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification

Trade name: AGRASAN PER

UFI: ER82-009N-P000-R41P

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Detergent for hard surfaces.

Professional use (SU22) - Washing and cleaning products (PC35)

Uses advised against:

Different uses than recommended. Do not use in combination with other products.

1.3. Details of the supplier of the safety data sheet

Manufacturer:

SUTTER INDUSTRIES s.p.a. - Società con Unico Socio

15060 Borghetto Borbera (AL) Italia

Tel. +39 0143 631.1

Competent person responsible for the safety data sheet:

regulatory.affairs@sutter.it







1.4. Emergency telephone number

+39 0143 631.1 mon-fri 9.00/17.00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

-  Warning, Ox. Liq. 3, May intensify fire; oxidiser.
-  Warning, Acute Tox. 4, Harmful if swallowed.
-  Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.
-  Danger, Eye Dam. 1, Causes serious eye damage.
-  Warning, STOT SE 3, May cause respiratory irritation.
-  Warning, Aquatic Chronic 1, Very toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Safety Data Sheet AGRASAN PER

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P220 Keep away from clothing and other combustible materials.

P280 Wear eye protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P370+P378 In case of fire, use a dry powder fire extinguisher to extinguish.

P501 Dispose of contents/container in accordance with local regulation.

Special Provisions:

EUH210 Only for professional use. Safety data sheet available on request.

Contains

PERACETIC ACID

HYDROGEN PEROXIDE

ACETIC ACID

Product contents:

oxygen-based bleaching agents > 30 %

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Applicable, the product is a mixture.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

$\geq 25\%$ - $< 30\%$ HYDROGEN PEROXIDE

REACH No.: 01-2119485845-22, Index number: 008-003-00-9, CAS: 7722-84-1, EC: 231-765-0



2.13/1 Ox. Liq. 1 H271



3.3/1 Eye Dam. 1 H318



3.1/4/Oral Acute Tox. 4 H302



3.1/4/Inhal Acute Tox. 4 H332



3.2/1A Skin Corr. 1A H314



3.8/3 STOT SE 3 H335

4.1/C3 Aquatic Chronic 3 H412

Safety Data Sheet AGRASAN PER

Specific Concentration Limits:

5% <= C < 8%: Eye Irrit. 2 H319
8% <= C < 50%: Eye Dam. 1 H318
35% <= C < 50%: Skin Irrit. 2 H315
C >= 35%: STOT SE 3 H335
50% <= C < 70%: Ox. Liq. 2 H272
50% <= C < 70%: Skin Corr. 1B H314
C >= 63%: Aquatic Chronic 3 H412
C >= 70%: Ox. Liq. 1 H271
C >= 70%: Skin Corr. 1A H314

>= 5% - < 7% ACETIC ACID

REACH No.: 01-2119475328-30, Index number: 607-002-00-6, CAS: 64-19-7, EC: 200-580-7



2.6/3 Flam. Liq. 3 H226



3.3/1 Eye Dam. 1 H318



3.2/1A Skin Corr. 1A H314

Specific Concentration Limits:

10% <= C < 25%: Skin Irrit. 2 H315
10% <= C < 25%: Eye Irrit. 2 H319
25% <= C < 90%: Skin Corr. 1B H314
C >= 90%: Skin Corr. 1A H314

>= 3% - < 5% PERACETIC ACID

REACH No.: 01-2119531330-56, Index number: 607-094-00-8, CAS: 79-21-0, EC: 201-186-8



2.6/3 Flam. Liq. 3 H226



3.8/3 STOT SE 3 H335



4.1/C1 Aquatic Chronic 1 H410 M=10.



4.1/A1 Aquatic Acute 1 H400 M=1.



2.8/D Self-react. D H242



3.3/1 Eye Dam. 1 H318



3.2/1A Skin Corr. 1A H314



3.1/3/Oral Acute Tox. 3 H301



3.1/4/Dermal Acute Tox. 4 H312

 3.1/3/Inhal Acute Tox. 3 H331

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

Give nothing to eat or drink.

In case of Inhalation:

In case of inhalation, consult a doctor immediately and show him packing or label.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects:

Severe skin and eye irritation for contact.

Irritation interior system if swallowed.

Until revision date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

In case of fire, use a dry powder fire extinguisher to extinguish.

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:
Wear personal protection equipment.
Wear breathing apparatus if exposed to vapours/dusts/aerosols.
Provide adequate ventilation.
Use appropriate respiratory protection.
See protective measures under point 7 and 8.

For emergency responders:
Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
Retain contaminated washing water and dispose it.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water. To converge the product in containment tanks.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Store away from sunlight.

Store in a cool and well ventilated place.

Store away from heat sources.

Do not store in open or unlabeled containers.

Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

Incompatible materials:

Alkalines, Chlorine based oxidising, flammable, combustible.

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

Keep away from combustible materials.

Instructions as regards storage premises:

Cool and adequately ventilated.

7.3. Specific end use(s)

None in particular, see paragraph 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. Below, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

HYDROGEN PEROXIDE - CAS: 7722-84-1

ACGIH - TWA(8h): 1 ppm - Notes: A3 - Eye, URT, and skin irr

ACETIC ACID - CAS: 64-19-7

EU - TWA(8h): 25 mg/m³, 10 ppm - STEL: 50 mg/m³, 20 ppm

ACGIH - TWA(8h): 10 ppm - STEL: 15 ppm - Notes: URT and eye irr, pulm func

PERACETIC ACID - CAS: 79-21-0

ACGIH - STEL: 0.4 ppm - Notes: (IFV), A4 - URT, eye, and skin irr

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

HYDROGEN PEROXIDE - CAS: 7722-84-1

Worker Industry: 3 mg/m³ - Consumer: 1.93 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Industry: 1.4 mg/m³ - Consumer: 0.21 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, local effects

PNEC Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.

HYDROGEN PEROXIDE - CAS: 7722-84-1

Target: Fresh Water - Value: 0.0126 mg/l

Target: Marine water - Value: 0.0126 mg/l

Target: Air - Value: 0.0138 mg/l

Target: Microorganisms in sewage treatments - Value: 4.66 mg/l

Target: Soil (agricultural) - Value: 0.0023 mg/kg

Target: Marine water sediments - Value: 0.47 mg/kg

Target: Freshwater sediments - Value: 0.47 mg/kg

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.(EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton (EN 14605 in case of splashes or EN 13982 in case of dust)

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (ex. EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes).

Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2.

Respiratory protection:

Use respiratory protection where ventilation is insufficient or exposure is prolonged. (eg EN 140 or EN149)

Thermal Hazards:

Closed containers may explode if heated.

The product is oxidizing.

Contact with combustible materials may cause fire.

The product itself does not burn.

The product is not explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.
See also section 6.2.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions.
See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	Visual	--
Colour:	colourless	Visual	--
Odour:	Technical	Olfactory	Absence of fragrances
Odour threshold:	Evident	Olfactory	--
Melting point/freezing point:	Not Relevant	--	Parameter not relevant for the type of product
Boiling point or initial boiling point and boiling range:	>= 100 °C	--	Estimated value on chemical / physical properties of components
Flammability:	non-flammable	--	Estimated parameter on chemical / physical properties of components.
Lower and upper explosion limit:	Not Relevant	--	Parameter not relevant for the type of product
Flash point:	> 60 °C	--	Estimated value on chemical / physical properties of components
Auto-ignition temperature:	Not Relevant	--	Parameter not relevant for the type of product
Decomposition temperature:	Not Relevant	--	Parameter not relevant for the type of product
pH:	< 1,0	--	Estimated value on chemical / physical properties of components
Kinematic viscosity:	Not Relevant	--	Parameter not relevant. Not viscous mixture.
Solubility in water:	Total	--	Internal tests
Solubility in oil:	None	--	Internal tests
Partition coefficient n-octanol/water (log value):	< 1000	--	Value estimated based on the solubility of the mixture.
Vapour pressure:	Not Relevant	--	Parameter not relevant for the type of product
Density and/or relative density:	1.120 g/ml	Instrumental control	--
Relative vapour density:	Not Relevant	--	Parameter not relevant for the type of product

Particle characteristics:

Particle size (average and range)	Not Relevant	--	Parameter not relevant for the type of product
-----------------------------------	--------------	----	--

9.2. Other information

Properties	Value	Method:	Notes:
Explosive properties:	Nessuna	--	Estimated value on chemical /

			physical properties of components
Oxidizing properties:	Strong	--	Estimated value on chemical / physical properties of components

SECTION 10: Stability and reactivity

10.1. Reactivity

Do not use in combination with other products.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.2. Chemical stability

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.3. Possibility of hazardous reactions

In normal conditions no dangerous reactions of the mixture

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also scetion 7.2.

10.4. Conditions to avoid

Avoid direct sunlight and exposure to heat sources.

Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2

10.5. Incompatible materials

Alkalines, Chlorine based oxidising, flammable, combustible.

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

10.6. Hazardous decomposition products

Oxygen.

Do not use in combination with other products.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

AGRASAN PER

a) acute toxicity

The product is classified: Acute Tox. 4 H302

ATEmix - Oral 902,688 mg/kg bw

b) skin corrosion/irritation

The product is classified: Skin Corr. 1A H314

c) serious eye damage/irritation

The product is classified: Eye Dam. 1 H318

d) respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

e) germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

Safety Data Sheet AGRASAN PER

- f) carcinogenicity
Not classified
Based on available data, the classification criteria are not met
- g) reproductive toxicity
Not classified
Based on available data, the classification criteria are not met
- h) STOT-single exposure
The product is classified: STOT SE 3 H335
- i) STOT-repeated exposure
Not classified
Based on available data, the classification criteria are not met
- j) aspiration hazard
Not classified
Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

Below are reported, if available, the toxicological information of the components listed in paragraph 3.2.

HYDROGEN PEROXIDE - CAS: 7722-84-1

- a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 431 mg/kg - Source: Expert judge
Test: LD50 - Route: Skin - Species: Rabbit = 9200 mg/kg - Source: Literature
- b) skin corrosion/irritation:
Test: Skin Corrosive - Route: Skin Positive
- c) serious eye damage/irritation:
Test: Eye Corrosive Positive
- d) respiratory or skin sensitisation:
Test: Skin Sensitization - Route: Skin Negative - Source: Literature

ACETIC ACID - CAS: 64-19-7

- a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 3310 mg/kg
- PERACETIC ACID - CAS: 79-21-0
- g) reproductive toxicity:
Test: NOAEL - Route: Oral - Species: Rat = 12.5 mg/kg
 - i) STOT-repeated exposure:
Test: NOAEL - Route: Oral - Species: Rat = 1.17 mg/kg
- ACETIC ACID - CAS: 64-19-7
LD50 (RABBIT) SKIN: 1060 MG/KG

PERACETIC ACID - CAS: 79-21-0
LD50 (RAT) ORAL: 1540 MG/KG
LD50 (RABBIT) SKIN: 1410 MG/KG

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Until the revision date of this document, are not available experimental data on the mixture.

Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

AGRASAN PER

The product is classified: Aquatic Chronic 1 - H410

HYDROGEN PEROXIDE - CAS: 7722-84-1

- a) Aquatic acute toxicity:
 - Endpoint: LC50 - Species: Fish = 16.4 mg/l - Duration h: 96 - Notes: Pimephales promelas
 - Endpoint: EC50 - Species: Daphnia = 2.4 mg/l - Duration h: 48 - Notes: Daphnia pulex
 - Endpoint: NOEC - Species: Algae = 0.63 mg/l - Duration h: 72 - Notes: Skeletonema costatum
- b) Aquatic chronic toxicity:
 - Endpoint: NOEC - Species: Daphnia = 0.63 mg/l - Duration h: 504 - Notes: Daphnia magna
- c) Bacteria toxicity:
 - Endpoint: EC50 - Species: Microorganisms / Effect on activated sludge: = 466 mg/l - Duration h: 0.5
 - Endpoint: EC50 - Species: Microorganisms / Effect on activated sludge: > 1000 mg/l - Duration h: 3

ACETIC ACID - CAS: 64-19-7

- a) Aquatic acute toxicity:
 - Endpoint: LC50 - Species: Fish = 75 mg/l - Duration h: 96 - Notes: Lepomide
 - Endpoint: EC50 - Species: Daphnia = 47 mg/l - Duration h: 96

PERACETIC ACID - CAS: 79-21-0

- a) Aquatic acute toxicity:
 - Endpoint: LC50 - Species: Fish = 0.91 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss
 - Endpoint: EC50 - Species: Daphnia = 0.69 mg/l - Duration h: 48 - Notes: Daphnia magna
 - Endpoint: EC50 - Species: Algae = 0.16 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata
 - Endpoint: NOEC - Species: Algae = 0.061 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata
- b) Aquatic chronic toxicity:
 - Endpoint: NOEC - Species: Fish = 0.00094 mg/l - Duration h: 792 - Notes: Danio rerio
 - Endpoint: NOEC - Species: Daphnia = 0.05 mg/l - Duration h: 504 - Notes: Daphnia magna
- c) Bacteria toxicity:
 - Endpoint: EC50 - Species: Microorganisms / Effect on activated sludge: = 5.1 mg/l - Duration h: 3

12.2. Persistence and degradability

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

HYDROGEN PEROXIDE - CAS: 7722-84-1

Biodegradability: Readily biodegradable

The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

Not applicable

12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

Not applicable

Safety Data Sheet AGRASAN PER

- 12.5. Results of PBT and vPvB assessment
vPvB Substances: None - PBT Substances: None
- 12.6. Endocrine disrupting properties
No endocrine disruptor substances present in concentration $\geq 0.1\%$
- 12.7. Other adverse effects
Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains.
See also section 6
- Additional disposal information:
Do not reuse empty containers. Dispose of them in compliance with current regulations.

SECTION 14: Transport information



- 14.1. UN number or ID number
ADR-UN Number: 3149
IATA-UN Number: 3149
IMDG-UN Number: 3149
- 14.2. UN proper shipping name
ADR-Shipping Name: HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE with acid(s), water and not more than 5% peroxyacetic acid, STABILIZED
IATA-Shipping Name: HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE with acid(s), water and not more than 5% peroxyacetic acid, STABILIZED
IMDG-Shipping Name: HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE with acid(s), water and not more than 5% peroxyacetic acid, STABILIZED
- 14.3. Transport hazard class(es)
ADR-Class: 5.1
ADR - Hazard identification number: 58
IATA-Class: 5.1
IATA-Label: 5.1 + 8
IMDG-Class: 5.1
- 14.4. Packing group
ADR-Packing Group: II
IATA-Packing group: II
IMDG-Packing group: II
- 14.5. Environmental hazards
IMDG-Marine pollutant: Marine Pollutant
IMDG-EmS: F-H , S-Q
- 14.6. Special precautions for user
ADR-Subsidiary hazards: 8
ADR-S.P.: 196 553

Safety Data Sheet AGRASAN PER

ADR-Transport category (Tunnel restriction code):	E
IATA-Passenger Aircraft:	550
IATA-Subsidiary hazards:	8
IATA-Cargo Aircraft:	554
IATA-S.P.:	A96
IATA-ERG:	5C
IMDG-EMS:	F-H, S-Q
IMDG-Subsidiary hazards:	8
IMDG-Stowage and handling:	Category D SW1
IMDG-Segregation:	SG16 SG59 SG72 SGG16

14.7. Maritime transport in bulk according to IMO instruments
Not applicable

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
- Dir. 98/24/EC (Risks related to chemical agents at work)
 - Dir. 2000/39/EC (Occupational exposure limit values)
 - Regulation (EC) n. 1907/2006 (REACH)
 - Regulation (EC) n. 1272/2008 (CLP)
 - Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
 - Regulation (EU) n. 2020/878
 - Regulation (EU) n. 286/2011 (ATP 2 CLP)
 - Regulation (EU) n. 618/2012 (ATP 3 CLP)
 - Regulation (EU) n. 487/2013 (ATP 4 CLP)
 - Regulation (EU) n. 944/2013 (ATP 5 CLP)
 - Regulation (EU) n. 605/2014 (ATP 6 CLP)
 - Regulation (EU) n. 2015/1221 (ATP 7 CLP)
 - Regulation (EU) n. 2016/918 (ATP 8 CLP)
 - Regulation (EU) n. 2016/1179 (ATP 9 CLP)
 - Regulation (EU) n. 2017/776 (ATP 10 CLP)
 - Regulation (EU) n. 2018/669 (ATP 11 CLP)
 - Regulation (EU) n. 2018/1480 (ATP 13 CLP)
 - Regulation (EU) n. 2019/521 (ATP 12 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:
None

Where applicable, refer to the following regulatory provisions :
Directive 2012/18/EU (Seveso III)
Regulation (EC) nr 648/2004 (detergents).
Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):
Seveso III category according to Annex 1, part 1
Product belongs to category: P8, E1

15.2. Chemical safety assessment

No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario - Annex I of this document.

A Chemical Safety Assessment has been carried out for the mixture.

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

None

SECTION 16: Other information

Full text of phrases referred to in Section 3:

- H271 May cause fire or explosion; strong oxidiser.
- H318 Causes serious eye damage.
- H302 Harmful if swallowed.
- H332 Harmful if inhaled.
- H314 Causes severe skin burns and eye damage.
- H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.
- H319 Causes serious eye irritation.
- H315 Causes skin irritation.
- H272 May intensify fire; oxidiser.
- H226 Flammable liquid and vapour.
- H410 Very toxic to aquatic life with long lasting effects.
- H400 Very toxic to aquatic life.
- H242 Heating may cause a fire.
- H301 Toxic if swallowed.
- H312 Harmful in contact with skin.
- H331 Toxic if inhaled.

Hazard class and hazard category	Code	Description
Ox. Liq. 1	2.13/1	Oxidising liquid, Category 1
Ox. Liq. 2	2.13/2	Oxidising liquid, Category 2
Ox. Liq. 3	2.13/3	Oxidising liquid, Category 3
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Self-react. D	2.8/D	Self-reactive substance or mixture, Type D
Acute Tox. 3	3.1/3/Inhal	Acute toxicity (inhalation), Category 3
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Ox. Liq. 3, H272	On basis of test data
Acute Tox. 4, H302	Calculation method
Skin Corr. 1A, H314	On basis of test data (pH)
Eye Dam. 1, H318	On basis of test data (pH)
STOT SE 3, H335	Calculation method
Aquatic Chronic 1, H410	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EC0/10/20/50/100:	Effective concentration, for 0/10/20/50/100 percent of test population.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC0/10/20/50/100:	Lethal concentration, for 0/10/20/50/100 percent of test population.
LD0/10/20/50/100:	Lethal dose, for 0/10/20/50/100 percent of test population.
NOEC:	No Observed Effect Concentration
NOAEL(R)/N	No Observed Adverse Effect Level(Repeated)/Concentration
OAEC:	
OECD:	Organisation for Economic Co-operation and Development
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.

Safety Data Sheet
AGRASAN PER



ANNEX I
PROFESSIONAL PRODUCT – DETERGENT FOR HARD SURFACES

Title of exposure scenario	
Detergent for general cleaning: Manual process.	
Use description	
Sector Use	SU22 – Professional use
Product Category	PC35 – Washing and cleaning products (including solvent based products)
Description of activities/process considered on exposure scenario.	
Dilute with water as specified on the label, if necessary.	
Use following the use instruction as specified on the label.	
Leave on.	
Rinse, if necessary.	
Frequency and duration	
Use phase	- 1 time a day for daily cleaning detergents - Periodical for specific detergents
Relevant limit values of ingredients, if available, are stated in section 8 of the SDS.	
Physical appearance and concentration	
Liquid. To dilute or ready to use.	
In section 2 of the SDS of product and on the label, the classification of mixture is provided.	
Mixture classification is based on ingredients classification and on chemical/physical properties stated in section 9 of the SDS of product.	
Use conditions	
Room temperature	
Good general ventilation at workplace is sufficient.	
Protection	
See section 8 of the SDS of product to more information on PPE.	Training of worker to use and maintenance of PPE is supposed.
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.
No open flame.	Do not use in combination with other products
Wash hand after use.	
In case of accidental release: dilute with water and dry.	
See section 6 of the SDS in case of accidental release	
Follow use instruction as specified on the label or on technical sheet. Use good occupational hygiene practices as specified in section 7 on the SDS.	
Environmental measures	
See section 6 of the SDS in case of accidental release	
See section 12 of the SDS for ecotoxicological information of mixture and dangerous ingredients.	
See section 13 of the SDS for disposal considerations.	

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment