

Safety Data Sheet dated 25/11/2022, version 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Mixture identification Trade name: DEGREASER PLUS ECOLABEL UFI: JFD1-10TE-800M-DJR5 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Detergent for hard surfaces. Professional use (SU22) - Washing and cleaning products (PC35) Uses advised against: Different uses than recommended. Do not use in combination with other products. 1.3. Details of the supplier of the safety data sheet Manufacturer: SUTTER INDUSTRIES s.p.a. - Società con Unico Socio 15060 Borghetto Borbera (AL) Italia Tel. +39 0143 631.1 Competent person responsible for the safety data sheet: regulatory.affairs@sutter.it 1.4. Emergency telephone number +39 0143 631.1 mon-fri 9.00/17.00 **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture EC regulation criteria 1272/2008 (CLP) Warning, Skin Irrit. 2, Causes skin irritation. Warning, Eve Irrit, 2. Causes serious eve irritation. Adverse physicochemical, human health and environmental effects: No other hazards 2.2. Label elements Hazard pictograms: Warning Hazard statements: H315 Causes skin irritation. H319 Causes serious eye irritation. Precautionary statements: P264 Wash hands thoroughly after handling. P280 Wear eye protection. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. **Special Provisions:** EUH210 Only for professional use. Safety data sheet available on request. Product contents: 55837CLP/4 Page n. 1 of13



soap, anionic surfactants, non-ionic surfactants < 5 % Preservatives: BENZISOTHIAZOLINONE, LAURYLAMINE DIPROPYLENEDIAMINE, SODIUM PYRITHIONE Special provisions according to Annex XVII of REACH and subsequent amendments: None 2.3. Other hazards No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%Other Hazards: No other hazards **SECTION 3: Composition/information on ingredients** 3.1. Substances Not Applicable, the product is a mixture. 3.2. Mixtures Hazardous components within the meaning of the CLP regulation and related classification: >= 3% - < 5% 3-BUTOXY-2-PROPANOL REACH No.: 01-2119475527-28, Index number: 603-052-00-8, CAS: 5131-66-8, EC: 225-878-4 $\langle \mathbf{I} \rangle$ 3.2/2 Skin Irrit. 2 H315 3.3/2 Eye Irrit. 2 H319 >= 1% - < 3% TRIETHANOLAMINE REACH No.: 01-2119486482-31, CAS: 102-71-6, EC: 203-049-8 Substance with a Union workplace exposure limit. >= 1% - < 3% ALKYL ETHER SULFATE C12-14, SODIUM SALT REACH No.: 01-2119488639-16, CAS: 68891-38-3, EC: 500-234-8 $\langle ! \rangle$ 3.2/2 Skin Irrit. 2 H315 3.3/1 Eye Dam. 1 H318

> 4.1/C3 Aquatic Chronic 3 H412 Specific Concentration Limits:

5% <= C < 10%: Eye Irrit. 2 H319 C >= 10%: Eye Dam. 1 H318

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

55837CLP/4 Page n. 2 of13



Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed
 - Acute effects:

Severe skin and eye irritation for contact.

Irritation interior system if swallowed.

Until revison date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:
 - Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely. The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water. To converge the product in containment tanks.



6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling Avoid contact with skin and eyes, inhalation of vapours and mists. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. See also section 8 for recommended protective equipment. Advice on general occupational hygiene: Contamined clothing should be changed before entering eating areas. Do not eat or drink while working. 7.2. Conditions for safe storage, including any incompatibilities Store away from sunlight. Store in a cool and well ventilated place. Do not store in open or unlabeled containers. Store away from heat sources. Keep away from food, drink and feed. Incompatible materials: Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2. None in particular. Instructions as regards storage premises: Adequately ventilated premises. 7.3. Specific end use(s)

None in particular, see paragraph 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. elow, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

TRIETHANOLAMINE - CAS: 102-71-6

EU - TWA(8h): 5 mg/m3

ACGIH - TWA(8h): 5 mg/m3 - Notes: Eye and skin irr

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

3-BUTOXY-2-PROPANOL - CAS: 5131-66-8

Worker Industry: 52 mg/kg - Consumer: 22 mg/kg - Exposure: Human Dermal -Frequency: Long Term, systemic effects - Notes: bw/day

Worker Industry: 147 mg/m3 - Consumer: 43 mg/m3 - Exposure: Human Inhalation -Frequency: Long Term, systemic effects

Consumer: 12.5 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: bw/day

TRIETHANOLAMINE - CAS: 102-71-6

Worker Industry: 6.3 mg/kg - Consumer: 3.1 mg/kg - Exposure: Human Dermal -Frequency: Long Term, systemic effects - Notes: bw/d

Worker Industry: 5 mg/m3 - Consumer: 1.25 mg/m3 - Exposure: Human Inhalation -Frequency: Long Term, systemic effects

Consumer: 13 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: bw/d



Worker Industry: 5 mg/m3 - Consumer: 1.25 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects

ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3

Worker Industry: 2750 mg/kg - Consumer: 1650 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 175 mg/m3 - Consumer: 52 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 15 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.

3-BUTOXY-2-PROPANOL - CAS: 5131-66-8

Target: Marine water - Value: 0.0525 mg/l

Target: Marine water sediments - Value: 0.236 mg/kg

Target: Soil (agricultural) - Value: 0.16 mg/kg

Target: Microorganisms in sewage treatments - Value: 10 ppm

Target: Freshwater sediments - Value: 2.36 mg/kg

Target: Fresh Water - Value: 0.525 mg/l

TRIETHANOLAMINE - CAS: 102-71-6

Target: Microorganisms in sewage treatments - Value: 10 mg/l

Target: Marine water - Value: 0.032 mg/l

Target: Soil (agricultural) - Value: 0.151 mg/kg

Target: Marine water sediments - Value: 0.17 mg/l

Target: Freshwater sediments - Value: 1.7 mg/kg

Target: Fresh Water - Value: 0.32 mg/l

ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3

Target: Marine water - Value: 0.024 mg/l

Target: Microorganisms in sewage treatments - Value: 10000 mg/l

Target: Marine water sediments - Value: 0.09168 mg/kg

Target: Soil (agricultural) - Value: 7.5 mg/kg

Target: Freshwater sediments - Value: 0.9168 mg/kg

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.(EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton (EN 14605 in case of splashes or EN 13982 in case of dust)

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (ex. EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes).

Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.



See also section 6.2. Appropriate engineering controls: No further technical checks suitable for your product under normal conditions. See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	Visual	
Colour:	colourless	Visual	
Odour:	Technical	Olfactory	Absence of fragrances
Odour threshold:	Evident	Olfactory	
Melting point/freezing point:	Not Relevant		Parameter not relevant for the type of product
Boiling point or initial boiling point and boiling range:	>= 100°C		Estimated value on chemical / physical properties of components
Flammability:	non-flammabl e		Estimated parameter on chemical / physical properties of components.
Lower and upper explosion limit:			Parameter not relevant for the type of product
Flash point:	> 60 ° C		Estimated value on chemical / physical properties of components
Auto-ignition temperature:	Not Relevant		Parameter not relevant for the type of product
Decomposition temperature:	Not Relevant		Parameter not relevant for the type of product
pH:	< 11,4	Instrumental control	
Kinematic viscosity:	Not Relevant		Parameter not relevant. Not viscous mixture.
Solubility in water:	Total		Internal tests
Solubility in oil:	Partial		Internal tests
Partition coefficient n-octanol/water (log value):	< 1000		Value estimated based on the solubility of the mixture.
Vapour pressure:	Not Relevant		Parameter not relevant for the type of product
Density and/or relative density:	1.013 g/ml	Instrumental control	
Relative vapour density:	Not Relevant		Parameter not relevant for the type of product
	Particle cha	racteristics:	
Particle size (average and range)	Not Relevant		Parameter not relevant for the type of product

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity



Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. Do not use in combination with other products.

10.2. Chemical stability

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.3. Possibility of hazardous reactions

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. See also scetion 7.2.

10.4. Conditions to avoid

Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2

Avoid direct sunlight and exposure to heat sources.

- 10.5. Incompatible materials Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.
- 10.6. Hazardous decomposition products Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. Do not use in combination with other products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product: DEGREASER PLUS ECOLABEL a) acute toxicity Not classified Based on available data, the classification criteria are not met b) skin corrosion/irritation The product is classified: Skin Irrit. 2 H315 c) serious eve damage/irritation The product is classified: Eye Irrit. 2 H319 d) respiratory or skin sensitisation Not classified Based on available data, the classification criteria are not met e) germ cell mutagenicity Not classified Based on available data, the classification criteria are not met f) carcinogenicity Not classified Based on available data, the classification criteria are not met g) reproductive toxicity Not classified Based on available data, the classification criteria are not met h) STOT-single exposure Not classified Based on available data, the classification criteria are not met i) STOT-repeated exposure Not classified Based on available data, the classification criteria are not met i) aspiration hazard Not classified Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product:

55837CLP/4 Page n. 7 of13



Below are reported, if available, the toxicological information of the components listed in paragraph 3.2. 3-BUTOXY-2-PROPANOL - CAS: 5131-66-8 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 3300 mg/kg Test: LD50 - Route: Skin - Species: Rat = 2000 mg/kg Test: LC50 - Route: Inhalation - Species: Rat > 3.5 mg/l - Duration: 4h b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin Yes c) serious eye damage/irritation: Test: Eye Irritant Yes d) respiratory or skin sensitisation: Test: Skin Sensitization - Route: Skin No i) STOT-repeated exposure: Test: Repeated exposure No TRIETHANOLAMINE - CAS: 102-71-6 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 6400 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg Test: LC0 - Route: Inhalation - Species: Rat = 1.8 mg/m3 - Duration: 8h b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin - Species: Rabbit Negative c) serious eye damage/irritation: Test: Eye Irritant - Species: Rabbit Negative d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative e) germ cell mutagenicity: **Test: Mutagenesis Negative** f) carcinogenicity: Test: NOAEL - Route: Skin - Species: Rat = 250 mg/kg bw/d - Source: OCSE 451 -Notes: 103 weeks (daily, 5 days/week) ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3 a) acute toxicity: Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg - Source: OECD 402 Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg - Source: OECD 401 b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin - Species: Rabbit Positive - Source: OECD 404 c) serious eve damage/irritation: Test: Eye Corrosive - Species: Rabbit Positive - Source: OECD 405 d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative - Source: OECD 406 e) germ cell mutagenicity: Test: Mutagenesis Negative - Source: Ames Test 11.2. Information on other hazards Endocrine disrupting properties: No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

DEGREASER PLUS ECOLABEL

Not classified for environmental hazards

55837CLP/4 Page n. 8 of13



Based on available data, the classification criteria are not met
3-BUTOXY-2-PROPANOL - CAS: 5131-66-8
a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish > 560 mg/l - Duration h: 96 - Notes: Poecilia reticulata
Endpoint: EC50 - Species: Daphnia > 1000 mg/l - Duration h: 48 - Notes: Daphnia
magna
Endpoint: EC50 - Species: Algae > 1000 mg/l - Duration h: 96 - Notes:
Pseudokirchneriella subcapitata
c) Bacteria toxicity: Endpoint: EC50 - Species: Microorganisms / Effect on activated sludge: > 1000 mg/l -
Duration h: 3
e) Plant toxicity:
Endpoint: NOEC - Species: Algae = 560 mg/l - Duration h: 96 - Notes:
Pseudokirchneriella subcapitata
TRIETHANOLAMINE - CAS: 102-71-6
a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish > 10000 mg/l - Duration h: 48 - Notes: Leuciscus idus
Endpoint: EC50 - Species: Daphnia = 609.88 mg/l - Duration h: 48 - Notes:
Ceriodaphnia dubia
Endpoint: EC50 - Species: Algae = 512 mg/l - Duration h: 72 - Notes: Desmodesmus
subspicatus
b) Aquatic chronic toxicity:
Endpoint: NOEC - Species: Daphnia = 16 mg/l - Duration h: 504 - Notes: Daphnia
magna
c) Bacteria toxicity:
Endpoint: IC50 - Species: Microorganisms / Effect on activated sludge: > 1000 mg/l -
Duration h: 3
d) Terrestrial toxicity:
Endpoint: LC50 = 33300 mg/l - Duration h: 72 - Notes: Drosophila melanogaster ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3
a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish > 10 mg/l - Notes: Leuciscus idus
Endpoint: EC50 - Species: Daphnia > 10 mg/l - Notes: Daphnia magna
Endpoint: EC50 - Species: Algae > 100 mg/l - Notes: Scenedesmus subspicatus
b) Aquatic chronic toxicity:
Endpoint: NOEC - Species: Fish > 1 mg/l - Notes: Leuciscus idus
Endpoint: NOEC - Species: Daphnia > 0.1 mg/l - Notes: Daphnia magna
c) Bacteria toxicity:
Endpoint: EC0 - Species: Microorganisms / Effect on activated sludge: > 100 mg/l -
Notes: Pseudomonas putida
12.2. Persistence and degradability
Until the revision date of this document, are not available experimental data on the mixture.
Below are reported, if available, the eco-toxicological information of the components listed in
paragraph 3.2.
3-BUTOXY-2-PROPANOL - CAS: 5131-66-8
Biodegradability: Readily biodegradable - Duration: 28 days - %: 90 - Notes: OECD 30
ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3
Biodegradability: Readily biodegradable
The surfactant(s) contained in this preparation complies with the biodegradability criteria laid
down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to

The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture.

55837CLP/4 Page n. 9 of13



Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

3-BUTOXY-2-PROPANOL - CAS: 5131-66-8

Bioaccumulation: Slightly bioaccumulative - Test: Log Pow - Partition coefficient 1.2 12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

3-BUTOXY-2-PROPANOL - CAS: 5131-66-8 Mobility in soil: Mobile

- 12.5. Results of PBT and vPvB assessment
 - vPvB Substances: None PBT Substances: None
- 12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods Recover if possible. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains. See also section 6.

SECTION 14: Transport information

- 14.1. UN number or ID number Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name Not applicable
- 14.3. Transport hazard class(es) Not applicable
- 14.4. Packing group
 - Not applicable
- 14.5. Environmental hazards ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No
- 14.6. Special precautions for user Not applicable
- 14.7. Maritime transport in bulk according to IMO instruments Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) n. 2020/878
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)

55837CLP/4 Page n. 10 of13



Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None 15.2. Chemical safety assessment No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario -Annex I of this document.

A Chemical Safety Assessment has been carried out for the mixture.

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out: None

SECTION 16: Other information

Full text of phrases referred to in Section 3:

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H318 Causes serious eye damage.
- H412 Harmful to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

55837CLP/4 Page n. 11 of13



ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical
	Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EC0/10/20/50/ 100:	Effective concentration, for 0/10/20/50/100 percent of test population.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport
	Association" (IATA).
ICAO: ICAO-TI:	International Civil Aviation Organization. Technical Instructions by the "International Civil Aviation Organization"
юдо-п.	(ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC0/10/20/50/ 100:	Lethal concentration, for 0/10/20/50/100 percent of test population.
	Lethal dose, for 0/10/20/50/100 percent of test population.
100:	
NOEC:	No Observed Effect Concentration
NOAEL(R)/N	No Observed Adverse Effect Level(Repeated)/Concentration
OAEC:	
OECD:	Organisation for Economic Co-operation and Development
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.



ANNEX I PROFESSIONAL PRODUCT – DETERGENT FOR HARD SURFACES

Title of exposure scenario				
Detergent for general cleaning: Manual process.				
Use description				
Sector Use	SU22 – Professional use			
Product Category	PC35 – Washing and cleaning products (including solvent			
	based products)			
Description of activities/process considered on expo	osure scenario.			
Diluite with water as specified on the label, if necess	ary.			
Use following the use instruction as specified on the	label.			
Leave on.				
Rinse, if necessary.				
Frequency and duration				
Use phase	 1 time a day for daily cleaning detergents Periodical for specific detergents 			
Relevant limit values of ingredients, if available, are s	stated in section 8 of the SDS.			
Physical appearence and concentration				
Liquid. To dilute or ready to use.				
In section 2 of the SDS of product and on the label, the	ne classification of mixture is provided.			
-	cation and on chemical/physical properties stated in section 9			
of the SDS of product.				
Use conditions				
Room temperature				
Good general ventilation at workplace is sufficient.				
Protection	1			
See section 8 of the SDS of product to more	Training of worker to use and maintenance of PPE is			
information on PPE.	supposed.			
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.			
No open flame.	Do not use in combination with other products			
Wash hand after use.				
In case of accidental release: dilute with water and d	•			
See section 6 of the SDS in case of accidental release				
Follow use instruction as specified on the label or on technical sheet. Use good occupational hygiene practices as				
specified in section 7 on the SDS.				
Environmental measures				
See section 6 of the SDS in case of accidental release				
See section 12 of the SDS for ecotoxicological information of mixture and dangerous ingredients.				
See section 13 of the SDS for disposal considerations.				

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment