

Safety Data Sheet dated 7/12/2022, version 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification
Trade name: MICROSOLV
UFI: 51P1-N0U3-W003-HQ0M

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:
Detergent for hard surfaces.

Professional use (SU22) - Washing and cleaning products (PC35)

Uses advised against:

Different uses than recommended. Do not use in combination with other products.

1.3. Details of the supplier of the safety data sheet

Manufacturer:
SUTTER INDUSTRIES s.p.a. - Società con Unico Socio
15060 Borghetto Borbera (AL) Italia
Tel. +39 0143 631.1

Competent person responsible for the safety data sheet:

regulatory.affairs@sutter.it


1.4. Emergency telephone number


+39 0143 631.1 mon-fri 9.00/17.00


SECTION 2: Hazards identification


2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

 Warning, Flam. Liq. 3, Flammable liquid and vapour.

 Warning, Skin Irrit. 2, Causes skin irritation.

 Danger, Eye Dam. 1, Causes serious eye damage.

 Warning, Skin Sens. 1, May cause an allergic skin reaction.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P370+P378 In case of fire, use a dry powder fire extinguisher to extinguish.

Special Provisions:

EUH210 Only for professional use. Safety data sheet available on request.

Contains

ISOTRIDECANOL ETHOXYLATED

D-LIMONENE

Product contents:

aliphatic hydrocarbons, non-ionic surfactants 5 - 15 %

soap < 5 %

Allergens: D-LIMONENE

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Applicable, the product is a mixture.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

$\geq 7\%$ - $< 10\%$ HYDROCARBONS, C9-11, ALKANES

REACH No.: 01-2119463258-33, EC: 919-857-5



2.6/3 Flam. Liq. 3 H226



3.8/3 STOT SE 3 H336



3.10/1 Asp. Tox. 1 H304

EUH066

$\geq 7\%$ - $< 10\%$ 2-BUTOXYETHANOL

REACH No.: 01-2119475108-36, Index number: 603-014-00-0, CAS: 111-76-2, EC: 203-905-0



3.3/2 Eye Irrit. 2 H319



3.2/2 Skin Irrit. 2 H315



3.1/4/Oral Acute Tox. 4 H302



3.1/4/Dermal Acute Tox. 4 H312


 3.1/4/Inhal Acute Tox. 4 H332

>= 5% - < 7% ISOTRIDECANOL ETHOXYLATED
CAS: 69011-36-5

 3.3/1 Eye Dam. 1 H318

4.1/C3 Aquatic Chronic 3 H412

>= 3% - < 5% POTASSIUM COCOATE
CAS: 61789-30-8, EC: 263-049-9

 3.3/2 Eye Irrit. 2 H319

 3.2/2 Skin Irrit. 2 H315

>= 1% - < 3% D-LIMONENE

REACH No.: 01-2119529223-47, Index number: 601-029-00-7, CAS: 5989-27-5, EC: 227-813-5


 2.6/3 Flam. Liq. 3 H226

 4.1/A1 Aquatic Acute 1 H400 M=1.

 4.1/C1 Aquatic Chronic 1 H410

 3.4.2/1B Skin Sens. 1B H317

 3.2/2 Skin Irrit. 2 H315

 3.10/1 Asp. Tox. 1 H304

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

- Remove casualty to fresh air and keep warm and at rest.
- 4.2. Most important symptoms and effects, both acute and delayed
Acute effects:
Skin and eye irritation for contact
Irritation interior system if swallowed.

- Until revision date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.
- 4.3. Indication of any immediate medical attention and special treatment needed
In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
Treatment:
Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
Suitable extinguishing media:
In case of fire, use a dry powder fire extinguisher to extinguish.
Extinguishing media which must not be used for safety reasons:
None in particular.
- 5.2. Special hazards arising from the substance or mixture
The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).
Do not inhale explosion and combustion gases.
Burning produces heavy smoke.
- 5.3. Advice for firefighters
Use suitable breathing apparatus .
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Move undamaged containers from immediate hazard area if it can be done safely.
The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
For non emergency personnel:
Wear personal protection equipment.
Remove all sources of ignition.
Remove persons to safety.
See for protective measures under point 7 and 8.
For emergency responders:
Wear personal protection equipment.
- 6.2. Environmental precautions
Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
Retain contaminated washing water and dispose it.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
Wash with plenty of water. To converge the product in containment tanks.
- 6.4. Reference to other sections
See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.
Don't use empty container before they have been cleaned.
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
See also section 8 for recommended protective equipment.
Advice on general occupational hygiene:
Contaminated clothing should be changed before entering eating areas.
Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Store away from sunlight.
Store in a cool and well ventilated place.
Do not store in open or unlabeled containers.
Store away from heat sources.
Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.
Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.
Keep away from food, drink and feed.
Incompatible materials:
Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.
None in particular.
Instructions as regards storage premises:
Cool and adequately ventilated.

7.3. Specific end use(s)

None in particular, see paragraph 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. Below, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

HYDROCARBONS, C9-11, ALKANES

ACGIH - TWA(8h): 1200 mg/m³, 197 ppm - Notes: RCP (total hydrocarbons)

2-BUTOXYETHANOL - CAS: 111-76-2

EU - TWA(8h): 98 mg/m³, 20 ppm - STEL: 246 mg/m³, 50 ppm - Notes: Skin

TLV TWA - 20 ppm, A3 - 96,66 mg/m³, A3

TLV STEL - A3

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

HYDROCARBONS, C9-11, ALKANES

Worker Industry: 208 mg/kg - Consumer: 125 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: bw/day

Consumer: 125 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Worker Industry: 871 mg/m³ - Consumer: 185 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

2-BUTOXYETHANOL - CAS: 111-76-2

Worker Industry: 125 mg/kg - Consumer: 75 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: day

Worker Industry: 98 mg/m³ - Consumer: 59 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 6.3 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: day

Worker Industry: 246 mg/m³ - Consumer: 147 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Industry: 89 mg/kg - Consumer: 26.7 mg/kg - Exposure: Human Oral - Frequency: Short Term, systemic effects - Notes: day

Worker Industry: 89 mg/kg - Consumer: 89 mg/kg - Exposure: Human Dermal - Frequency: Short Term, systemic effects

Worker Industry: 1091 mg/m³ - Consumer: 426 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

D-LIMONENE - CAS: 5989-27-5

Worker Industry: 66.7 mg/m³ - Consumer: 16.6 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 9.5 mg/kg - Consumer: 4.8 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 4.8 mg/m³ - Exposure: Human Oral - Frequency: Long Term, local effects

PNEC Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.

2-BUTOXYETHANOL - CAS: 111-76-2

Target: Marine water sediments - Value: 3.46 mg/kg

Target: Soil (agricultural) - Value: 2.33 mg/kg

Target: Marine water - Value: 0.88 mg/l

Target: Microorganisms in sewage treatments - Value: 463 mg/l

Target: Food chain - Value: 20 mg/kg

Target: Fresh Water - Value: 8.8 mg/l

Target: Freshwater sediments - Value: 34.6 mg/kg

Target: Air - Value: 9.1 mg/l

D-LIMONENE - CAS: 5989-27-5

Target: Fresh Water - Value: 0.014 mg/l

Target: Marine water - Value: 0.14

Target: Marine water sediments - Value: 0.385 mg/kg

Target: Freshwater sediments - Value: 3.85 mg/kg

Target: Soil (agricultural) - Value: 0.763 mg/kg

Target: Food chain - Value: 133 mg/kg

Target: Microorganisms in sewage treatments - Value: 1.8 mg/l

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.(EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton (EN 14605 in case of splashes or EN 13982 in case of dust)

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (ex. EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes).

Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

The product is flammable.

The product is not explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also section 6.2.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions.

See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	Visual	--
Colour:	colorless/yellow	Visual	--
Odour:	Citrus	Olfactory	--
Odour threshold:	Evident	Olfactory	--
Melting point/freezing point:	Not Relevant	--	Parameter not relevant for the type of product
Boiling point or initial boiling point and boiling range:	Not Relevant	--	Parameter not relevant for the type of product
Flammability:	flammable	--	Estimated parameter on chemical / physical properties of components.
Lower and upper explosion limit:	Not Relevant	--	Parameter not relevant for the type of product
Flash point:	46 ° C	--	Estimated value on chemical / physical properties of components
Auto-ignition temperature:	Not Relevant	--	Parameter not relevant for the type of product
Decomposition temperature:	Not Relevant	--	Parameter not relevant for the type of product
pH:	< 11,4	Instrumental control	--
Kinematic viscosity:	Not Relevant	--	Parameter not relevant. Not viscous mixture.
Solubility in water:	Total	--	Internal tests
Solubility in oil:	Partial	--	Internal tests
Partition coefficient n-octanol/water (log value):	< 1000	--	Value estimated based on the solubility of the mixture.
Vapour pressure:	Not Relevant	--	Parameter not relevant for the type of product
Density and/or relative density:	0.982 g/ml	Instrumental control	--
Relative vapour density:	Not Relevant	--	Parameter not relevant for the type of product
Particle characteristics:			
Particle size (average and range)	Not Relevant	--	Parameter not relevant for the type of product

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.
Do not use in combination with other products.

10.2. Chemical stability

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.3. Possibility of hazardous reactions

In normal conditions no dangerous reactions of the mixture

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also section 7.2.

10.4. Conditions to avoid

Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2

Avoid direct sunlight and exposure to heat sources.

10.5. Incompatible materials

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

10.6. Hazardous decomposition products

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Do not use in combination with other products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

MICROSOLV

a) acute toxicity

Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation

The product is classified: Skin Irrit. 2 H315

c) serious eye damage/irritation

The product is classified: Eye Dam. 1 H318

d) respiratory or skin sensitisation

The product is classified: Skin Sens. 1 H317

e) germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

- j) aspiration hazard
Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

Below are reported, if available, the toxicological information of the components listed in paragraph 3.2.

HYDROCARBONS, C9-11, ALKANES

- a) acute toxicity:
 - Test: LC50 - Route: Inhalation - Species: Rat > 4951 mg/m³ - Duration: 4h - Source: OCSE 403
 - Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg - Source: OCSE 401
 - Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg - Source: OCSE 402
- b) skin corrosion/irritation:
 - Test: Skin Irritant Negative - Source: OCSE 404
- c) serious eye damage/irritation:
 - Test: Eye Irritant Negative - Source: OCSE 405
- d) respiratory or skin sensitisation:
 - Test: Skin or Resp. Sensitization Negative
- e) germ cell mutagenicity:
 - Test: Mutagenesis Negative
- f) carcinogenicity:
 - Test: Carcinogenicity Negative
- i) STOT-repeated exposure:
 - Test: Repeated exposure Negative
- j) aspiration hazard:
 - Test: Aspiration hazard Yes

2-BUTOXYETHANOL - CAS: 111-76-2

- a) acute toxicity
 - ATE - Oral 1200 mg/kg bw
 - Test: ATE - Route: Oral = 1200 mg/kg bw
 - Test: LD50 - Route: Skin - Species: Rabbit = 1100 mg/kg - Source: OECD 402
 - Test: LC50 - Route: Inhalation - Species: Rat = 523 ppm - Duration: 4h
 - Test: LD50 - Route: Oral - Species: Rat = 1300 mg/kg
- b) skin corrosion/irritation:
 - Test: Skin Irritant Yes - Source: UE B.4
- c) serious eye damage/irritation:
 - Test: Eye Irritant Yes - Source: OCSE 405
- d) respiratory or skin sensitisation:
 - Test: Skin or Resp. Sensitization No
- e) germ cell mutagenicity:
 - Test: Mutagenesis Negative
- g) reproductive toxicity:
 - Test: Reproductive Toxicity Negative

ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5

- a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg
- b) skin corrosion/irritation:
 - Test: Skin Irritant Negative
- c) serious eye damage/irritation:
 - Test: Eye Corrosive Positive

D-LIMONENE - CAS: 5989-27-5

- a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg
 - Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg
- 2-BUTOXYETHANOL - CAS: 111-76-2

LD50 (RABBIT) ORAL: 320 MG/KG

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration \geq 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Until the revision date of this document, are not available experimental data on the mixture.

Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

MICROSOLV

The product is classified: Aquatic Chronic 3 - H412

HYDROCARBONS, C9-11, ALKANES

a) Aquatic acute toxicity:

Endpoint: LL50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Endpoint: LE0 - Species: Daphnia = 1000 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EL50 - Species: Algae > 1000 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata

Endpoint: NOELR - Species: Algae = 100 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata

2-BUTOXYETHANOL - CAS: 111-76-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 1474 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Endpoint: EC50 - Species: Daphnia = 1550 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae = 911 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish > 100 mg/kg - Duration h: 504 - Notes: Brachydanio rerio

Endpoint: NOEC - Species: Daphnia = 100 mg/l - Duration h: 504 - Notes: Daphnia magna

ISOTRIDEKANOL ETHOXYLATED - CAS: 69011-36-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1 mg/l - Duration h: 96 - Notes: Leuciscus idus

Endpoint: EC50 - Species: Daphnia > 1 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 1 mg/l - Duration h: 72

c) Bacteria toxicity:

Endpoint: EC10 - Species: Microorganisms / Effect on activated sludge: > 2500 mg/l - Duration h: 17

D-LIMONENE - CAS: 5989-27-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 0.720 mg/l - Duration h: 96 - Notes: Pimephales promelas

Endpoint: EC50 - Species: Daphnia = 0.85 mg/l - Duration h: 24 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae = 0.32 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata

12.2. Persistence and degradability

Until the revision date of this document, are not available experimental data on the mixture.

Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

HYDROCARBONS, C9-11, ALKANES

Biodegradability: Readily biodegradable - Test: Ready biodegradability in water -

Duration: 28 days - %: 80

2-BUTOXYETHANOL - CAS: 111-76-2

Biodegradability: Readily biodegradable - Test: OECD 301B - Duration: 28 days - %: 90

- Notes: .

ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5

Biodegradability: Readily biodegradable - Test: OECD 301B - Duration: 28 days -

Notes: >60%

Test: OECD 301E - %: 90

D-LIMONENE - CAS: 5989-27-5

Biodegradability: Readily biodegradable - Test: OECD 301D - Duration: 28 days - %:

80

The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture.

Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

2-BUTOXYETHANOL - CAS: 111-76-2

Bioaccumulation: Not bioaccumulative - Test: . 0.8 - Notes: .

ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5

Bioaccumulation: Not bioaccumulative

12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture.

Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

Not applicable

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration $\geq 0.1\%$

12.7. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains.

See also section 6

SECTION 14: Transport information



- 14.1. UN number or ID number
ADR-UN Number: 1993
IATA-UN Number: 1993
IMDG-UN Number: 1993
- 14.2. UN proper shipping name
ADR-Shipping Name: FLAMMABLE LIQUID, N.O.S.(HYDROCARBONS, C9-11, ALKANES)
IATA-Shipping Name: FLAMMABLE LIQUID, N.O.S.(HYDROCARBONS, C9-11, ALKANES)
IMDG-Shipping Name: FLAMMABLE LIQUID, N.O.S.(HYDROCARBONS, C9-11, ALKANES)
- 14.3. Transport hazard class(es)
ADR-Class: 3
ADR - Hazard identification number: 30
IATA-Class: 3
IATA-Label: 3
IMDG-Class: 3
- 14.4. Packing group
ADR-Packing Group: III
IATA-Packing group: III
IMDG-Packing group: III
- 14.5. Environmental hazards
ADR-Environmental Pollutant: No
IMDG-Marine pollutant: No
IMDG-EmS: F-E , S-E
- 14.6. Special precautions for user
ADR-Subsidiary hazards: -
ADR-S.P.: 274 601
ADR-Transport category (Tunnel restriction code): 3 (D/E)
IATA-Passenger Aircraft: 355
IATA-Subsidiary hazards: -
IATA-Cargo Aircraft: 366
IATA-S.P.: A3
IATA-ERG: 3L
IMDG-S.P.: 223 274 955
IMDG-Subsidiary hazards: -
IMDG-Stowage and handling: Category A
IMDG-Segregation: -
- 14.7. Maritime transport in bulk according to IMO instruments
Not applicable

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) n. 2020/878
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)
Regulation (EU) n. 2018/669 (ATP 11 CLP)
Regulation (EU) n. 2018/1480 (ATP 13 CLP)
Regulation (EU) n. 2019/521 (ATP 12 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

None

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)
Regulation (EC) nr 648/2004 (detergents).
Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1
Product belongs to category: P5c

15.2. Chemical safety assessment

No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario - Annex I of this document.

A Chemical Safety Assessment has been carried out for the mixture.

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

None

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H226 Flammable liquid and vapour.
H336 May cause drowsiness or dizziness.
H304 May be fatal if swallowed and enters airways.
EUH066 Repeated exposure may cause skin dryness or cracking.
H319 Causes serious eye irritation.
H315 Causes skin irritation.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H332 Harmful if inhaled.
H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H317 May cause an allergic skin reaction.

Hazard class and hazard category	Code	Description
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2

Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Flam. Liq. 3, H226	On basis of test data
Skin Irrit. 2, H315	Calculation method
Eye Dam. 1, H318	Calculation method
Skin Sens. 1, H317	Calculation method
Aquatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
- ATE: Acute Toxicity Estimate
- ATEmix: Acute toxicity Estimate (Mixtures)
- CAS: Chemical Abstracts Service (division of the American Chemical Society).
- CLP: Classification, Labeling, Packaging.
- DNEL: Derived No Effect Level.
- EC0/10/20/50/100: Effective concentration, for 0/10/20/50/100 percent of test population.
- EINECS: European Inventory of Existing Commercial Chemical Substances.
- GefStoffVO: Ordinance on Hazardous Substances, Germany.
- GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
- IATA: International Air Transport Association.
- IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
- ICAO: International Civil Aviation Organization.
- ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
- IMDG: International Maritime Code for Dangerous Goods.
- INCI: International Nomenclature of Cosmetic Ingredients.
- KSt: Explosion coefficient.



Safety Data Sheet MICROSOLV

LC0/10/20/50/100:	Lethal concentration, for 0/10/20/50/100 percent of test population.
LD0/10/20/50/100:	Lethal dose, for 0/10/20/50/100 percent of test population.
NOEC:	No Observed Effect Concentration
NOAEL(R)/N	No Observed Adverse Effect Level(Repeated)/Concentration
OECD:	Organisation for Economic Co-operation and Development
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.

Safety Data Sheet
MICROSOLV



ANNEX I
PROFESSIONAL PRODUCT – DETERGENT FOR HARD SURFACES

Title of exposure scenario	
Detergent for general cleaning: Manual process.	
Use description	
Sector Use	SU22 – Professional use
Product Category	PC35 – Washing and cleaning products (including solvent based products)
Description of activities/process considered on exposure scenario.	
Dilute with water as specified on the label, if necessary.	
Use following the use instruction as specified on the label.	
Leave on.	
Rinse, if necessary.	
Frequency and duration	
Use phase	- 1 time a day for daily cleaning detergents - Periodical for specific detergents
Relevant limit values of ingredients, if available, are stated in section 8 of the SDS.	
Physical appearance and concentration	
Liquid. To dilute or ready to use.	
In section 2 of the SDS of product and on the label, the classification of mixture is provided.	
Mixture classification is based on ingredients classification and on chemical/physical properties stated in section 9 of the SDS of product.	
Use conditions	
Room temperature	
Good general ventilation at workplace is sufficient.	
Protection	
See section 8 of the SDS of product to more information on PPE.	Training of worker to use and maintenance of PPE is supposed.
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.
No open flame.	Do not use in combination with other products
Wash hand after use.	
In case of accidental release: dilute with water and dry.	
See section 6 of the SDS in case of accidental release	
Follow use instruction as specified on the label or on technical sheet. Use good occupational hygiene practices as specified in section 7 on the SDS.	
Environmental measures	
See section 6 of the SDS in case of accidental release	
See section 12 of the SDS for ecotoxicological information of mixture and dangerous ingredients.	
See section 13 of the SDS for disposal considerations.	

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment