



## **AGRASAN PER**



# PERACETIC ACID AND HYDROGEN PEROXIDE-BASED DETERGENT

- EN Tests\*: 1276, 1650, 13624, 13697, 13727, 14348,
  14561, 14562, 14476
- Does not produce foam. Suitable for use in CIP
- For agricultural and food industries. Suitable for HACCP use





Peracetic acide and hydrogen peroxide-based detergent ideal for the agricultural and food industries (HACCP). It can be used for all washable surfaces (floors, walls, countertops, sanitary fixtures) and in CIP systems. Easy to rinse, does not produce foam. Guarantee of cleanliness and hygiene.

In compliance with the following EN Tests standards\*: 1276, 1650, 13624, 13697, 13727, 14348, 14561, 14562, 14476.

ACTIVE SUBSTANCE: Peracetic acid				ACTIVE SUBSTANCE: <b>Hydrogen peroxide</b>			
For	rmula	1,8%	dilution	Formula		1,8% dilution	
Conc.	4,8%	Conc.	0,086%	Conc.	27,9%	Conc.	0,502%
ppm	48000	ppm	864	ppm	279000	ppm	5022









#### **AGRASAN PER**

#### ? HOW TO USE

- CIP systems: dilute the product through the CIP dosing system and select the suitable cleaning cycle.
- Manual use: to be used, with the needed dilution, through trigger bottles, nebulizers or atomizers. Dilute the product using an automatic Sutter Tech dilution system (Accudose II or Promax). Apply the solution evenly on the surface, leave to act and rinse with low pressure water.
- Immersion use: to be used, with the needed dilution, for work tools, demountable parts of machines/equipment, mops and microfibers' sanitation. Rinse with water.
- Soaking use: to be used, with the needed dilution, to maintain mops, cloths and microfibers in a safe environment with bacteriostatic effect. Rinse with water.

For further information, please contact the Sutter Professional technician.







### **DILUTION**

0,5% - 1,8% (from 50 ml to 180 ml in 10 L of water).

To develop 5022 ppm of Hydrogen Peroxide: dilute at 1,8% (18 ml in 1 L of water).

#### **A TECHNICAL DATA**

ASPECT: Clear liquid COLOR: Colorless PERFUME: Technical COV/VOC: 0,00%

PH	Active substance [%]	Density (g/ml)	Pressure (bar)	Viscosity (cP)	Total dry residue [%]
< 10	39 + 2	112			







#### **AGRASAN PER**

#### (!) WARNINGS

May intensify fire; oxidiser. Harmful if swallowed. Causes severe skin burns and eye damage. May cause respiratory irritation. Very toxic to aquatic life with long lasting effects. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from clothing and other combustible materials. Wear eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. In case of fire, use a dry powder fire extinguisher to extinguish. Dispose of contents/container in accordance with local regulation. Contients PERACETIC ACID, HYDROGEN PEROXIDE, ACETIC ACID.









WARNING

WARNING

DANGER

## NOTES

Do not use on calcareous surfaces (marble etc..).

Before use, please perform a test on a small hidden portion of surface to make sure it is compatible and always refer to the Technical Data Sheet and the Safety Data Sheet, with the exposure scenario, of the product. Use the PPE specified in the Safety Data Sheet.

Sutter Professional cannot be considered liable for any damage due to improper product use.

Only for professional use. Safety data sheet available on request.

\*Regulatory requirements surrounding the biocidal registration may vary according to each Country.

### **PACKAGING**

Code	Size	Quantity	Pallet
5451	Kg 22	1	13x2=26

